Titles of Most Frequently Occurring Classifications of Patents Returned From A Search of 09692508 on November 01, 2001

7 331/25 Class 3 331/1R 331/18 331/25	(0 OR, 7 XR) 31: OSCILLATORS AUTOMATIC FREQUENCY STABILIZATION USING A PHASE OR FREQUENCY SENSING MEANS . With reference oscillator or sourceSignal or phase comparator
7 455/260	(1 OR, 6 XR)
Class 455: TELECOMMUNICATIONS	
455/130	RECEIVER OR ANALOG MODULATED SIGNAL FREQUENCY
	CONVERTER
455/230	· · · · · · · · · · · · · · · · · · ·
455/255	1
455/257	
455/258	81
455/259	controlReference oscillator or source
455/260	
	minimum and the post of the quency by manestical
7 455/76	(4 OR, 3 XR)
Class 4	55: TELECOMMUNICATIONS
455/73	TRANSMITTER AND RECEIVER AT SAME STATION (E.G.,
	TRANSCEIVER)
455/75	.With frequency stabilization (e.g., automatic
	frequency control)
455/76	Synthesizer
4 455/78	(1 OR, 3 XR)
Class 4	55: TELECOMMUNICATIONS
455/73	TRANSMITTER AND RECEIVER AT SAME STATION (E.G.,
	TRANSCEIVER)
455/78 ₎	.With transmitter-receiver switching or
	interaction prevention
3 331/17	(2 OR, 1 XR)
Class 3	31 : OSCILLATORS
331/1R	AUTOMATIC FREQUENCY STABILIZATION USING A PHASE
_	OR FREQUENCY SENSING MEANS
331/17	.Particular error voltage control (e.g.,
	intergrating network)

(1 OR, 2 XR) 3 331/1A Class 331: OSCILLATORS AUTOMATIC FREQUENCY STABILIZATION USING A PHASE 331/1R OR FREQUENCY SENSING MEANS 331/1A .AFC with logic elements 3 331/2 (1 OR, 2 XR) Class 331: OSCILLATORS 331/1R AUTOMATIC FREQUENCY STABILIZATION USING A PHASE OR FREQUENCY SENSING MEANS .Plural oscillators controlled 331/2 3 375/344 (0 OR, 3 XR)Class 375: PULSE OR DIGITAL COMMUNICATIONS 375/316 **RECEIVERS** 375/344 .Automatic frequency control 3 375/376 (1 OR, 2 XR) Class 375: PULSE OR DIGITAL COMMUNICATIONS 375/354 **SYNCHRONIZERS** 375/371 .Phase displacement, slip or jitter correction 375/373 .. Phase locking ...Phase locked loop 375/376 3 455/73 (0 OR, 3 XR)Class 455: TELECOMMUNICATIONS TRANSMITTER AND RECEIVER AT SAME STATION (E.G., 455/73 TRANSCEIVER) 3 455/84 (1 OR, 2 XR)Class 455: TELECOMMUNICATIONS 455/73 TRANSMITTER AND RECEIVER AT SAME STATION (E.G., TRANSCEIVER) .With a common signal processing stage 455/84 2 257/666 (2 OR, 0 XR) Class 257: ACTIVE SOLID-STATE DEVICES 257/666 LEAD FRAME

2 257/728 (0 OR, 2 XR)

Class 257: ACTIVE SOLID-STATE DEVICES

257/678 HOUSING OR PACKAGE

257/728 .For high frequency (e.g., microwave) device

2 327/156 (0 OR, 2 XR)Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR DEVICES, CIRCUITS, AND SYSTEMS 327/100 SIGNAL CONVERTING, SHAPING, OR GENERATING 327/141 .Synchronizing 327/155 .. With feedback 327/156 ...Phase lock loop 2 327/157 (0 OR, 2 XR)Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR DEVICES, CIRCUITS, AND SYSTEMS SIGNAL CONVERTING, SHAPING, OR GENERATING 327/100 327/141 .Synchronizing .. With feedback 327/155 327/156 ...Phase lock loop 327/157With charge pump 2 327/552 (0 OR, 2 XR)Class 327: MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR DEVICES, CIRCUITS, AND SYSTEMS 327/524 SPECIFIC IDENTIFIABLE DEVICE, CIRCUIT, OR **SYSTEM** .Unwanted signal suppression 327/551 327/552 ..Active filter 2 330/252 (1 OR, 1 XR) Class 330: AMPLIFIERS 330/250 WITH SEMICONDUCTOR AMPLIFYING DEVICE (E.G., TRANSISTOR) .Including differential amplifier 330/252 2 331/14 (0 OR, 2 XR)Class 331: OSCILLATORS 331/1R AUTOMATIC FREQUENCY STABILIZATION USING A PHASE OR FREQUENCY SENSING MEANS 331/14 . With intermittent comparison controls 2 331/16 (0 OR, 2 XR)Class 331: OSCILLATORS 331/1R AUTOMATIC FREQUENCY STABILIZATION USING A PHASE OR FREQUENCY SENSING MEANS 331/16 .Tuning compensation 2 331/18 (0 OR, 2 XR) Class 331: OSCILLATORS

331/1R AUTOMATIC FREQUENCY STABILIZATION USING A PHASE OR FREQUENCY SENSING MEANS .With reference oscillator or source 331/18 2 342/128 (0 OR, 2 XR)Class 342: COMMUNICATIONS: DIRECTIVE RADIO WAVE SYSTEMS AND DEVICES **DETERMINING DISTANCE** 342/118 342/128 .With frequency modulation 2 342/175 (1 OR, 1 XR)Class 342: COMMUNICATIONS: DIRECTIVE RADIO WAVE SYSTEMS AND DEVICES WITH PARTICULAR CIRCUIT 342/175 2 342/70 (1 OR, 1 XR) Class 342: COMMUNICATIONS: DIRECTIVE RADIO WAVE SYSTEMS AND DEVICES 342/61 RETURN SIGNAL CONTROLS EXTERNAL DEVICE 342/70 .Radar mounted on and controls land vehicle 2 370/480 (2 OR, 0 XR) Class 370: MULTIPLEX COMMUNICATIONS 370/473 ..Transmission of a single message having multiple packets .Combining or distributing information via 370/480 frequency channels. 2 370/484 (0 OR, 2 XR)Class 370: MULTIPLEX COMMUNICATIONS 370/473 ..Transmission of a single message having multiple packets 370/480 .Combining or distributing information via frequency channels 370/484 .. Digital analysis or synthesis of a group 2 375/219 (2 OR, 0 XR) Class 375: PULSE OR DIGITAL COMMUNICATIONS 375/219 **TRANSCEIVERS** 2 375/261 (1 OR, 1 XR) Class 375: PULSE OR DIGITAL COMMUNICATIONS 375/259 SYSTEMS USING ALTERNATING OR PULSATING CURRENT 375/260 .Plural channels for transmission of a single

pulse train 375/261 ..Quadrature amplitude modulation 2 375/327 (0 OR, 2 XR)Class 375: PULSE OR DIGITAL COMMUNICATIONS 375/316 **RECEIVERS** 375/322 .Angle modulation 375/324 ..Particular demodulator 375/327 ...Phase locked loop 2 455/115 (0 OR, 2 XR)Class 455: TELECOMMUNICATIONS 455/91 TRANSMITTER 455/115 .Measuring, testing, or monitoring of transmitter 2 455/318 (0 OR, 2 XR)Class 455: TELECOMMUNICATIONS 455/130 RECEIVER OR ANALOG MODULATED SIGNAL FREQUENCY CONVERTER 455/313 .Frequency modifying or conversion .. With specified local oscillator structure or 455/318 coupling 2 455/324 (0 OR, 2 XR) Class 455: TELECOMMUNICATIONS 455/130 RECEIVER OR ANALOG MODULATED SIGNAL FREQUENCY CONVERTER 455/313 .Frequency modifying or conversion .. Particular frequency conversion structure or 455/323 circuitry 455/324 ...Homodyne (i.e., zero beat or synchrodyne reception)

2 455/343 (0 OR, 2 XR)

Class 455: TELECOMMUNICATIONS

455/130 RECEIVER OR ANALOG MODULATED SIGNAL FREQUENCY CONVERTER

455/334 .With particular receiver circuit

455/343 ... With particular power or bias supply

(includes battery saving means and includes self-powered)

2 455/80 (0 OR, 2 XR)

Class 455: TELECOMMUNICATIONS

455/73	TRANSMITTER AND RECEIVER AT SAME STATION (E.G.,
	TRANSCEIVER)
455/78	.With transmitter-receiver switching or
	interaction prevention
455/79	Automatic (e.g., voice operated)
455/80	With distributed parameter coupling
2 455/83	(0 OR, 2 XR)
Class 455: TELECOMMUNICATIONS	
455/73	TRANSMITTER AND RECEIVER AT SAME STATION (E.G.,
	TRANSCEIVER)
455/78	.With transmitter-receiver switching or
	interaction prevention
455/83	Single antenna switched between transmitter
	and receiver
2 455/86	(0 OR, 2 XR)
Class 4	455: TELECOMMUNICATIONS
455/73	TRANSMITTER AND RECEIVER AT SAME STATION (E.G.,
	TRANSCEIVER)
455/84	.With a common signal processing stage
455/86	Transmitter oscillator used as local
	oscillator

Most Frequently Occurring Classifications of Patents Returned From A Search of 09692508 on November 01, 2001

Original Classifications

- 4 455/76
- 2 257/666
- 2 331/17
- 2 370/480
- 2 375/219

Cross-Reference Classifications

- 7 331/25
- 6 455/260
- 3 375/344
- 3 455/73
- 3 455/76
- 3 455/78
- 2 257/728
- 2 327/156
- 2 327/157
- 2 327/552
- 2 331/14
- 2 331/16
- 2 331/18
- 2 331/1A
- 2 331/2
- 2 342/128
- 2 370/484
- 2 375/327
- 2 375/376
- 2 455/115
- 2 455/318
- 2 455/324
- 2 455/343
- 2 455/80
- 2 455/83
- 2 455/84
- 2 455/86

Combined Classifications

- 7 331/25
- 7 455/260
- 7 455/76
- 4 455/78

- 3 331/17
- 3 331/1A
- 3 331/2
- 3 375/344
- 3 375/376
- 3 455/73
- 3 455/84
- 2 257/666
- 2 257/728
- 2 327/156
- 2 327/157
- 2 327/552
- 2 330/252
- 2 331/14
- 2 331/16
- 2 331/18
- 2 342/128
- 2 342/175
- 2 342/70
- 2 370/480
- 2 370/484
- 2 375/219
- 2 375/261
- 2 375/327
- 2 455/115
- 2 455/318
- 2 455/324
- 2 455/343
- 2 455/80
- 2 455/83
- 2 455/86

PLUS Search Results for S/N 09692508, Searched November 01, 2001